

Maurya et al, Withaferin-A inhibits the activity of leishmania specific enzyme pteridine reductase-1 to prevent the parasite growth. [IN 2015CH04962 A](#)

Sherwood et al, Development of a goat model for evaluation of withaferin A: Cervical implants for the treatment of cervical intraepithelial neoplasia. [Experimental and Molecular Pathology \(2017\), 103\(3\), 320-329.](#)

Anupama et al, 2, 3-Dihydro-3-methoxy Withaferin-A Protects Normal Cells against Stress: Molecular Evidence of Its Potent Cytoprotective Activity. [Journal of Natural Products \(2017\), 80\(10\), 2756-2760.](#)

Llanos et al, Structure-based design, synthesis, and biological evaluation of withaferin A-analogues as potent apoptotic inducers. [European Journal of Medicinal Chemistry \(2017\), 140, 52-64.](#)

Grossman et al, Covalent Ligand Discovery against Druggable Hotspots Targeted by Anti-cancer Natural Products. [Cell Chemical Biology \(2017\), Ahead of Print](#)

Sayers et al, Method of sensitizing cancer cells to the cytotoxic effects of apoptosis inducing ligands in cancer treatment. [WO 2017139485 A1 .](#)

Ghosh et al, Withaferin A induced impaired autophagy and unfolded protein response in human breast cancer cell-lines MCF-7 and MDA-MB-231. [Toxicology In Vitro \(2017\), 44, 330-338.](#)

Kunimasa et al, Glucose metabolism-targeted therapy and withaferin A are effective for epidermal growth factor receptor tyrosine kinase inhibitor-induced drug-tolerant persisters. [Cancer Science \(2017\), 108\(7\), 1368-1377.](#)

Liu et al, ERBB2 overexpression establishes ERBB3-dependent hypersensitivity of breast cancer cells to withaferin A. [Molecular Cancer Therapeutics \(2016\), 15\(11\), 2750-2757.](#)

Falkenberg et al, Withaferin A, a natural compound with anti-tumor activity, is a potent inhibitor of transcription factor C/EBPβ. [Biochimica et Biophysica Acta, Molecular Cell Research \(2017\), 1864\(7\), 1349-1358.](#)

Lee et al, Withaferin-A-a natural anticancer agent with pleiotropic mechanisms of action. [International Journal of Molecular Sciences \(2016\), 17\(3\), 1-22.](#)

Sultana et al, Withaferin-A, a steroidal lactone encapsulated mannose decorated liposomes ameliorates rheumatoid arthritis by intriguing the macrophage repolarization in adjuvant-induced arthritic rats. [Colloids and Surfaces, B: Biointerfaces \(2017\), 155, 349-365.](#)

Tahara et al, STAT3 Inhibitory Activity of Structurally Simplified Withaferin A Analogues. [Organic Letters \(2017\), 19\(7\), 1538-1541.](#)

Maurya et al, A novel synergistic composition for the treatment of visceral leishmaniasis. [WO 2017046778 A1.](#)

Ghosh et al, . Withaferin a induces ROS-mediated paraptosis in human breast cancer cell-lines MCF-7 and MDA-MB-231. [PLoS One \(2016\), 11\(12\), 1-15.](#)

Xu et al, 17-Hydroxywithanolides as Sensitizers of Renal Carcinoma Cells to Tumor Necrosis Factor-Related Apoptosis Inducing Ligand (TRAIL) Mediated Apoptosis: Structure-Activity Relationships. [Journal of Medicinal Chemistry \(2017\), 60\(7\), 3039-3051.](#)

Yan et al, Withaferin A protects against spinal cord injury by inhibiting apoptosis and inflammation in mice. [Pharmaceutical Biology \(Abingdon, United Kingdom\) \(2017\), 55\(1\), 1171-1176.](#)

Sanchez-Martin et al, Synergistic antileukemic therapies in NOTCH1-induced T-ALL. [Proceedings of the National Academy of Sciences of the United States of America \(2017\), 114\(8\), 2006-2011.](#)

Purushotham et al, Withanolides against TLR4-Activated Innate Inflammatory Signalling Pathways: A Comparative Computational and Experimental Study. [Phytotherapy Research \(2017\), 31\(1\), 152-163.](#)

Piao et al, Lipopolysaccharides-stimulated macrophage products enhance Withaferin A-induced apoptosis via activation of caspases and inhibition of NF- κ B pathway in human cancer cells. [Molecular Immunology \(2017\), 81, 92-101.](#)

Gunatilaka et al, Withaferin a analogs and uses thereof. [US 20110230551 A1.](#)

Issa et al, Withaferin A induces cell death and differentiation in multiple myeloma cancer stem cells. [MedChemComm \(2017\), 8\(1\), 112-121.](#)

Dhami et al, Withaferin A and its potential role in glioblastoma (GBM). [Journal of Neuro-Oncology \(2017\), 131\(2\), 201-211.](#)

Pfluger et al, Obesity: will withaferin win the war?. [Nature Medicine \(New York, NY, United States\) \(2016\), 22\(9\), 970-971.](#)

Ashkenazi et al, A Novel allosteric mechanism of NF- κ B dimerization and DNA binding targeted by an anti-inflammatory drug. [Molecular and Cellular Biology \(2016\), 36\(8\), 1237-1247.](#)

Palliyaguru et al, Withaferin A induces Nrf2-dependent protection against liver injury: Role of Keap1-independent mechanisms. [Free Radical Biology & Medicine \(2016\), 101, 116-128.](#)

Livne-Bar et al, Pharmacologic inhibition of reactive gliosis blocks TNF- α -mediated neuronal apoptosis. [Cell Death & Disease \(2016\), 7\(9\), e2386.](#)

Kanak et al, Methods and compositions for treating pancreatitis using an NF- κ B signaling inhibitor. [WO 2016160880 A1.](#)

Chandrasekaran et al, Exploring the inhibitory activity of withaferin-A against pteridine reductase-1 of L. donovani. [Journal of Enzyme Inhibition and Medicinal Chemistry \(2016\), 31\(6\), 1029-1037.](#)

Jeong et al, Withaferin A inhibits inflammatory responses induced by Fusobacterium nucleatum and Aggregatibacter actinomycetemcomitans in macrophages. [Molecular Medicine Reports \(2016\), 14\(1\), 983-988.](#)

Ye et al, Withaferin a suppresses anti-apoptotic BCL2, Bcl-xL, XIAP and survivin genes in cervical carcinoma cells. [Tropical Journal of Pharmaceutical Research \(2015\), 14\(12\), 2201-2206.](#)

Crunkhorn et al, Leptin sensitizer reverses obesity. [Nature Reviews Drug Discovery \(2016\), 15\(9\), 601.](#)

Greenhill et al, Obesity New leptin sensitizer identified. [Nature Reviews Endocrinology \(2016\), 12\(10\), 558.](#)

Lee et al, Withaferin A is a leptin sensitizer with strong antidiabetic properties in mice. [Nature Medicine \(New York, NY, United States\) \(2016\), 22\(9\), 1023-1032.](#)

Okamoto et al, Withaferin A suppresses the growth of myelodysplasia and leukemia cell lines by inhibiting cell cycle progression. [Cancer Science \(2016\), 107\(9\), 1302-1314.](#)

Kanak et al, A small molecule inhibitor of NF- κ B blocks ER stress and the NLRP3 inflammasome and prevents progression of pancreatitis. [Journal of Gastroenterology \(2017\), 52\(3\), 352-365.](#)

Mishra et al, Proteasomal inhibitors useful for osteogenic activity and pharmaceutical composition thereof [osteoneal]. [IN 2013DE02145 A](#)

Marlow et al, Treatment of adult and pediatric high-grade gliomas with Withaferin A: antitumor mechanisms and future perspectives. [Journal of Natural Medicines \(2017\), 71\(1\), 16-26.](#)

Batumalaie et al, Withaferin A protects against palmitic acid-induced endothelial insulin resistance and dysfunction through suppression of oxidative stress and inflammation. [Scientific Reports \(2016\), 6, 27236.](#)

Kim et al, Withaferin A inhibits in vivo growth of breast cancer cells accelerated by Notch2 knockdown. [Breast Cancer Research and Treatment \(2016\), 157\(1\), 41-54.](#)

Kim et al, Inhibitory effect of withaferin A on Helicobacter pylori-induced IL-8 production and NF- κ B activation in gastric epithelial cells. [Molecular Medicine Reports \(2016\), 13\(1, Pt. B\), 967-972.](#)

Heynincq et al, Withaferin A induces heme oxygenase (HO-1) expression in endothelial cells via activation of the Keap1/Nrf2 pathway. [Biochemical Pharmacology \(Amsterdam, Netherlands\) \(2016\), 109, 48-61.](#)

Das et al, Inhibition of AKT promotes FOXO3a-dependent apoptosis in prostate cancer. [Cell Death & Disease \(2016\), 7\(2\), e2111.](#)

McKenna et al, Anti-cancer activity of withaferin A in B-cell lymphoma. [Cancer Biology & Therapy \(2015\), 16\(7\), 1088-1098.](#)

Wang et al, Withaferin a suppresses liver tumor growth in a nude mouse model by downregulation of cell signaling pathway leading to invasion and angiogenesis. [Tropical Journal of Pharmaceutical Research \(2015\), 14\(6\), 1005-1011.](#)

Lv et al, Antiproliferation potential of withaferin A on human osteosarcoma cells via the inhibition of G2/M checkpoint proteins. [Experimental and Therapeutic Medicine \(2015\), 10\(1\), 323-329.](#)

Narayan et al, Withaferin A Regulates LRRK2 Levels by Interfering with the Hsp90- Cdc37 Chaperone Complex. [Current Aging Science \(2015\), 8\(3\), 259-265.](#)

Li et al, carcinogenesis mouse model. [Molecular Carcinogenesis \(2016\), 55\(11\), 1739-1746.](#)

Nishikawa et al, Withaferin A induces cell death selectively in androgen-independent prostate cancer cells but not in normal fibroblast cells. [PLoS One \(2015\), 10\(7\).](#)

Bargagna-Mohan et al, Vimentin phosphorylation underlies myofibroblast sensitivity to withaferin a in vitro and during corneal fibrosis. [PLoS One \(2015\), 10\(7\).](#)

Jadeja et al, Withaferin-A Reduces Acetaminophen-Induced Liver Injury in Mice. [Biochemical Pharmacology \(Amsterdam, Netherlands\) \(2015\), 97\(1\), 122-132.](#)

Ozcan et al, Compounds such as Withaferin A for the treatment of obesity and methods of use thereof. [WO 2015081093 A1.](#)

Shaw et al, Preparation of withanolide analogs useful for the treatment of neurodegenerative diseases. [WO 2015077780 A1](#).

Tao et al, Withaferin A Analogs That Target the AAA+ Chaperone p97. [ACS Chemical Biology \(2015\), 10\(8\), 1916-1924](#).

Zhao et al, Natural products triptolide, celastrol, and withaferin A inhibit the chaperone activity of peroxiredoxin I. [Chemical Science \(2015\), 6\(7\), 4124-4130](#).

Amin et al, 4 dependent modulation of cellular β -catenin by medicinal plant natural product derivative 3-azido Withaferin A. [Molecular Carcinogenesis \(2016\), 55\(5\), 864-881](#).

Bharitkar et al, adducts of withaferin-A via one-pot three-component [3+2] azomethine ylide cycloaddition and their cytotoxicity evaluation. [Molecular Diversity \(2015\), 19\(2\), 251-261](#).

Niwano et al, Astaxanthin and withaferin A block paracrine cytokine interactions between UVB-exposed human keratinocytes and human melanocytes via the attenuation of endothelin-1 secretion and its downstream intracellular signaling. [Cytokine+ \(2015\), 73\(2\), 184-197](#).

Cai et al, Influences of withaferin A on proliferation, apoptosis and PI3K/Akt signaling pathway of non-small cell lung cancer A549 cell. [Linchuang Zhongliuxue Zazhi \(2014\), 19\(2\), 107-111](#).

Park et al, Withaferin A induces apoptosis through the generation of thiol oxidation in human head and neck cancer cells. [International Journal of Molecular Medicine \(2015\), 35\(1\), 247-252](#).

Li et al, Synergistic antitumor activity of withaferin A combined with oxaliplatin triggers reactive oxygen species-mediated inactivation of the PI3K/AKT pathway in human pancreatic cancer cells. [Cancer Letters \(New York, NY, United States\) \(2015\), 357\(1\), 219-230](#).

Terazawa et al, Withaferin A abolishes the stem cell factor-stimulated pigmentation of human epidermal equivalents by interrupting the auto-phosphorylation of c-KIT in human melanocytes. [Archives of Dermatological Research \(2015\), 307\(1\), 73-88](#).

Kakar et al, Withaferin A alone and in combination with cisplatin suppresses growth and metastasis of ovarian cancer by targeting putative cancer stem cells. [PLoS One \(2014\), 9\(9\)](#),

Kostecka et al, JNK-NQO1 axis drives TAp73-mediated tumor suppression upon oxidative and proteasomal stress. [Cell Death & Disease \(2014\), 5\(10\), 1484](#).

Yu et al, Withaferin A-caused production of intracellular reactive oxygen species modulates apoptosis via PI3K/Akt and JNKinase in rabbit articular chondrocytes. [Journal of Korean Medical Science \(2014\), 29\(8\), 1042-1053](#).

Jackson et al, Withaferin A disrupts ubiquitin-based NEMO reorganization induced by canonical NF- κ B signaling. [Experimental Cell Research \(2015\), 331\(1\), 58-72](#).

Kanak et al, Alleviation of Instant Blood-Mediated Inflammatory Reaction in Autologous Conditions Through Treatment of Human Islets with NF- κ B Inhibitors. [Transplantation \(2014\), 98\(5\), 578-584](#).

Heyninck et al, Withaferin A inhibits NF- κ B activation by targeting cysteine 179 in IKK β . [Biochemical Pharmacology \(Amsterdam, Netherlands\) \(2014\), 91\(4\), 501-509](#).

vel Szic et al, Pharmacological levels of Withaferin A (*Withania somnifera*) trigger clinically relevant anticancer effects specific to triple negative breast cancer cells. [PLoS One \(2014\), 9\(2\)](#),

Woo et al, Axl is a novel target of withaferin A in the induction of apoptosis and the suppression of invasion. [Biochemical and Biophysical Research Communications \(2014\), 451\(3\), 455-460.](#)

Das et al, Withaferin A modulates the Spindle Assembly Checkpoint by degradation of Mad2-Cdc20 complex in colorectal cancer cell lines. [Biochemical Pharmacology \(Amsterdam, Netherlands\) \(2014\), 91\(1\), 31-39.](#)

Kim et al, Mammary Cancer Chemoprevention by Withaferin A Is Accompanied by In Vivo Suppression of Self-Renewal of Cancer Stem Cells. [Cancer Prevention Research \(2014\), 7\(7\), 738-747.](#)

Kim et al, Overexpression of MicroRNA-25 by withaferin A induces cyclooxygenase-2 expression in rabbit articular chondrocytes. [Journal of Pharmacological Sciences \(Tokyo, Japan\) \(2014\), 125\(1\), 83-90.](#)

Ku et al, Withaferin A is an inhibitor of endothelial protein C receptor shedding in vitro and in vivo. [Food and Chemical Toxicology \(2014\), 68, 23-29.](#)

Nagalingam et al, Mechanistic Elucidation of the Antitumor Properties of Withaferin A in Breast Cancer. [Cancer Research \(2014\), 74\(9\), 2617-2629.](#)

Wadegaonkar et al, Withaferin A targets apoptosis inhibitor cIAP1: a potential anticancer candidate. [Journal of Applied Pharmaceutical Science \(2012\), 2\(5\), 154-157,](#)

Wijeratne et al, Structure-Activity Relationships for Withanolides as Inducers of the Cellular Heat-Shock Response. [Journal of Medicinal Chemistry \(2014\), 57\(7\), 2851-2863.](#)

Ku et al, Antiplatelet, anticoagulant, and profibrinolytic activities of withaferin A. [Vascular Pharmacology \(2014\), 60\(3\), 120-126.](#)

Gu et al, Structure-activity relationship (SAR) of withanolides to inhibit Hsp90 for its activity in pancreatic cancer cells. [Investigational New Drugs \(2014\), 32\(1\), 68-74.](#)

Cui et al, Molecular mechanisms of hyperthermia-induced apoptosis enhanced by withaferin A. [European Journal of Pharmacology \(2014\), 723, 99-107.](#)

Antony et al, Growth Arrest by the Antitumor Steroidal Lactone Withaferin A in Human Breast Cancer Cells Is Associated with Down-regulation and Covalent Binding at Cysteine 303 of β -Tubulin. [Journal of Biological Chemistry \(2014\), 289\(3\), 1852-1865.](#)

Vyas et al, Molecular Targets and Mechanisms of Cancer Prevention and Treatment by Withaferin A, A Naturally Occurring Steroidal Lactone. [AAPS Journal \(2014\), 16\(1\), 1-10.](#)

Lee et al, Withaferin A inhibits experimental epithelial-mesenchymal transition in MCF-10A cells and suppresses vimentin protein level in vivo in breast tumors. [Molecular Carcinogenesis \(2015\), 54\(6\), 417-429.](#)

Sinha et al, Myeloid-derived suppressor cell function is reduced by Withaferin A, a potent and abundant component of *Withania somnifera* root extract. [Cancer Immunology Immunotherapy \(2013\), 62\(11\), 1663-1673.](#)

Li et al, Apoptosis of human gallbladder carcinoma GBC-SD cells induced by withaferin A and its possible mechanism. [Zhongliu \(2013\), 33\(6\), 502-508.](#)

Roy et al, Withaferin A, a Steroidal Lactone from *Withania somnifera*, Induces Mitotic Catastrophe and Growth Arrest in Prostate Cancer Cells. [Journal of Natural Products \(2013\), 76\(10\), 1909-1915.](#)

Yu et al, Production of reactive oxygen species by withaferin A causes loss of type collagen expression and COX-2 expression through the PI3K/Akt, p38, and JNK pathways in rabbit articular chondrocytes. [Experimental Cell Research \(2013\), 319\(18\), 2822-2834.](#)

Hahm et al, Role of mitogen-activated protein kinases and Mcl-1 in apoptosis induction by withaferin A in human breast cancer cells. [Molecular Carcinogenesis \(2014\), 53\(11\), 907-916.](#)

Lee et al, Withaferin A inhibits matrix metalloproteinase-9 activity by suppressing the Akt signaling pathway. [Oncology Reports \(2013\), 30\(2\), 933-938.](#)

Khedgikar et al, . Withaferin A: a proteasomal inhibitor promotes healing after injury and exerts anabolic effect on osteoporotic bone. [Cell Death & Disease \(2013\), 4\(Aug.\), e778.](#)

Hahm et al, Metabolic Alterations in Mammary Cancer Prevention by Withaferin A in a Clinically Relevant Mouse Model. [Journal of the National Cancer Institute \(2013\), 105\(15\), 1111-1122.](#)

Hahm et al, Autophagy Fails to Alter Withaferin A-Mediated Lethality in Human Breast Cancer Cells. [Current Cancer Drug Targets \(2013\), 13\(6\), 640-650.](#)

Zhang et al, Withaferin A induces proteasome-dependent degradation of breast cancer susceptibility gene 1 and heat shock factor 1 proteins in breast cancer cells. [ISRN Biochemistry \(2012\),](#)

Bargagna-Mohan et al, Withaferin A effectively targets soluble vimentin in the glaucoma filtration surgical model of fibrosis. [PLoS One \(2013\), 8\(5\), e63881](#)

Ghosal et al, Isolation and use of indolealkylamino-withasteroid conjugates. [WO 2013070619 A1](#)

Grogan et al, Cytotoxicity of withaferin A in glioblastomas involves induction of an oxidative stress-mediated heat shock response while altering Akt/mTOR and MAPK signaling pathways. [Investigational New Drugs \(2013\), 31\(3\), 545-557.](#)

SoRelle et al, Withaferin A inhibits pro-inflammatory cytokine-induced damage to islets in culture and following transplantation. [Diabetologia \(2013\), 56\(4\), 814-824..](#)

Li et al, Withaferin A suppresses tumor promoter 12-O-tetradecanoylphorbol 13-acetate-induced decreases in isocitrate dehydrogenase 1 activity and mitochondrial function in skin epidermal JB6 cells. [Cancer Science \(2013\), 104\(2\), 143-148.](#)

Khan et al, Withaferin a induces proteasome inhibition, endoplasmic reticulum stress, the heat shock response and acquisition of thermotolerance. [PLoS One \(2012\), 7\(11\), e50547.](#)

Cohen et al, A novel combination of withaferin A and sorafenib shows synergistic efficacy against both papillary and anaplastic thyroid cancers. [American Journal of Surgery \(2012\), 204\(6\), 895-901.](#)

Jilani et al, Withaferin A-stimulated Ca²⁺ entry, ceramide formation and suicidal death of erythrocytes. [Toxicology In Vitro \(2013\), 27\(1\), 52-58.](#)

Ozorowski et al, Withaferin A binds covalently to the N-terminal domain of annexin A2. [Biological Chemistry \(2012\), 393\(10\), 1151-1163.](#)

Lee et al, Withaferin A causes activation of Notch2 and Notch4 in human breast cancer cells. [Breast Cancer Research and Treatment \(2012\), 136\(1\), 45-56.](#)

Um et al, Withaferin A inhibits JAK/STAT3 signaling and induces apoptosis of human renal carcinoma Caki cells. [Biochemical and Biophysical Research Communications \(2012\), 427\(1\), 24-29.](#)

Hahm et al, Withaferin A-induced apoptosis in human breast cancer cells is associated with suppression of inhibitor of apoptosis family protein expression. [Cancer Letters \(New York, NY, United States\) \(2013\), 334\(1\), 101-108.](#)

Rah et al, A novel MMP-2 inhibitor 3-azidowithaferin a (3-azidoWA) abrogates cancer cell invasion and angiogenesis by modulating extracellular Par-4. [PLoS One \(2012\), 7\(9\), e44039](#)

Challa et al, Withaferin-A reduces type I collagen expression in vitro and inhibits development of myocardial fibrosis in vivo. [PLoS One \(2012\), 7\(8\), e42989](#)

Yang et al, Withaferin a inhibits the proteasome activity in mesothelioma in vitro and in vivo. [PLoS One \(2012\), 7\(8\), e41214.](#)

Fong et al, Withaferin A synergizes the therapeutic effect of doxorubicin through ROS-mediated autophagy in ovarian cancer. [PLoS One \(2012\), 7\(7\), e42265](#)

Samadi et al, Natural withanolide withaferin A induces apoptosis in uveal melanoma cells by suppression of Akt and c-MET activation. [Tumor Biology \(2012\), 33\(4\), 1179-1189.](#)

Kakar et al, Synergistic cytotoxic action of cisplatin and withaferin A on ovarian cancer cell lines. [Biochemical and Biophysical Research Communications \(2012\), 423\(4\), 819-825.](#)

Grin et al, Withaferin A alters intermediate filament organization, cell shape and behavior. [PLoS One \(2012\), 7\(6\), e39065](#)

Zhang et al, Inhibition of cell growth and induction of apoptosis in ovarian carcinoma cell lines CaOV3 and SKOV3 by natural withanolide Withaferin A. [Gynecologic Oncology \(2012\), 124\(3\), 606-612.](#)

Reshma et al, Effect of a radiosensitiser, Withaferin A, on the free radical metabolising enzymes of neutrophils, in carcinoma of uterine cervix subjected to radiotherapy. [International Journal of Pharma and Bio Sciences \(2012\), 3\(1\), 421-425.](#)

Naziruddin et al, Inhibition of pro-inflammatory cytokine induced response using Withaferin A. [WO 2011159717 A1](#)

Khan et al, Involvement of nNOS in the antidepressant-like effect of withaferin-A in rats. [Journal of Pharmaceutical and Biomedical Sciences \(2011\), 03.](#)

Liu et al, An Analog of Withaferin A Activates the MAPK and Glutathione "Stress" Pathways and Inhibits Pancreatic Cancer Cell Proliferation. [Cancer Investigation \(2011\), 29\(10\), 668-675.](#)

Yang et al, Combination of withaferin A and X-ray irradiation enhances apoptosis in U937 cells. [Toxicology In Vitro \(2011\), 25\(8\), 1803-1810.](#)

Munagala et al, Withaferin A induces p53-dependent apoptosis by repression of HPV oncogenes and upregulation of tumor suppressor proteins in human cervical cancer cells. [Carcinogenesis \(2011\), 32\(11\), 1697-1705.](#)

Zhang et al, Down-regulation of estrogen receptor-alpha and REarranged during Transfection tyrosine kinase is associated with Withaferin A-induced apoptosis in MCF-7 breast cancer cells. [BMC Complementary and Alternative Medicine \(2011\), 11, 84.](#)

Thaiparambil et al, Withaferin A inhibits breast cancer invasion and metastasis at sub-cytotoxic doses by inducing vimentin disassembly and serine 56 phosphorylation. [International Journal of Cancer \(2011\), 129\(11\), 2744-2755.](#)

Mayola et al, Withaferin A induces apoptosis in human melanoma cells through generation of reactive oxygen species and down-regulation of Bcl-2. [Apoptosis \(2011\), 16\(10\), 1014-1027.](#)

Hahm et al, Withaferin A-induced apoptosis in human breast cancer cells is mediated by reactive oxygen species. [PLoS One \(2011\), 6\(8\), e23354.](#)

Yousuf et al, Ring A structural modified derivatives of withaferin A and the evaluation of their cytotoxic potential. [Steroids \(2011\), 76\(10-11\), 1213-1222.](#)

Min et al, Withaferin A down-regulates lipopolysaccharide-induced cyclooxygenase-2 expression and PGE2 production through the inhibition of STAT1/3 activation in microglial cells. [International Immunopharmacology \(2011\), 11\(8\), 1137-1142.](#)

Hahm et al, Withaferin a suppresses estrogen receptor- α expression in human breast cancer cells. [Molecular Carcinogenesis \(2011\), 50\(8\), 614-624.](#)

Khan et al, Age related differences in stress-induced neurobehavioral patterns in rats modulated by withaferin-A and other antioxidants. [Journal of Pharmacy Research \(2011\), 4\(4\), 1281-1284.](#)

Choi et al, Endoplasmic reticulum stress mediates withaferin A-induced apoptosis in human renal carcinoma cells. [Toxicology in Vitro \(2011\), 25\(3\), 692-698.](#)

Yang et al, Withaferin A enhances radiation-induced apoptosis in Caki cells through induction of reactive oxygen species, Bcl-2 downregulation and Akt inhibition. [Chemico-Biological Interactions \(2011\), 190\(1\), 9-15.](#)

Kalthur et al, Enhancement of the response of B16F1 melanoma to fractionated radiotherapy and prolongation of survival by withaferin A and/or hyperthermia. [Integrative Cancer Therapies \(2010\), 9\(4\), 370-377.](#)

Lee et al, Withaferin A inhibits activation of signal transducer and activator of transcription 3 in human breast cancer cells. [Carcinogenesis \(2010\), 31\(11\), 1991-1998.](#)

Peng et al, Inhibition of Inflammatory Cytokine-Induced Response in Human Islet Cells by Withaferin A. [Transplantation Proceedings \(2010\), 42\(6\), 2058-2061.](#)

Gunatilaka et al, Isolation and preparation of withaferin A analogs for the treatment of proliferative, neurodegenerative, autoimmune and inflammatory diseases. [WO 2010030395 A2.](#)

Bargagna-Mohan et al, Withaferin A Targets Intermediate Filaments Glial Fibrillary Acidic Protein and Vimentin in a Model of Retinal Gliosis. [Journal of Biological Chemistry \(2010\), 285\(10\), 7657-7669.](#)

Manoharan et al, Circadian time-dependent chemopreventive potential of withaferin-A in 7,12-dimethylbenz[a]anthracene-induced oral carcinogenesis. [Pharmacological Reports \(2009\), 61\(4\), 719-726.](#)

Koduru et al, Notch-1 Inhibition by Withaferin-A: A Therapeutic Target against Colon Carcinogenesis. [Molecular Cancer Therapeutics \(2010\), 9\(1\), 202-210.](#)

Yu et al, Withaferin A targets heat shock protein 90 in pancreatic cancer cells. [Biochemical Pharmacology \(2010\), 79\(4\), 542-551.](#)

Sabina et al, Inhibition of monosodium urate crystal-induced inflammation by withaferin A. [Journal of Pharmacy & Pharmaceutical Sciences \(2008\), 11\(4\), 46-55.](#)

Kalthur et al, Effect of Withaferin A on the development and decay of thermotolerance in B16F1 melanoma: Preliminary study. [Integrative Cancer Therapies \(2009\), 8\(2\), 195.](#)

Panjamurthy et al, Protective role of Withaferin-A on immunoexpression of p53 and bcl-2 in 7,12-dimethylbenz(a)anthracene-induced experimental oral carcinogenesis. [Investigational New Drugs \(2009\), 27\(5\), 447-452.](#)

Maitra et al, Inhibition of NF- κ B by the natural product Withaferin A in cellular models of Cystic Fibrosis inflammation. [Journal of Inflammation \(London, United Kingdom\) \(2009\), 6, No pp. given](#)

Sabina et al, Evaluation of analgesic, antipyretic and ulcerogenic effect of Withaferin A. [International Journal of Integrative Biology \(2009\), 6\(2\), 52-56.](#)

Manoharan et al, Protective effect of Withaferin-A on tumour formation in 7,12-dimethylbenz[a]anthracene induced oral carcinogenesis in hamsters. [Indian Journal of Experimental Biology \(2009\), 47\(1\), 16-23.](#)

Prasanna et al, Withaferin A suppresses the expression of vascular endothelial growth factor in Ehrlich ascites tumor cells via Sp1 transcription factor. [Current Trends in Biotechnology and Pharmacy \(2009\), 3\(2\), 138-148.](#)

Lee et al, Withaferin A sensitizes TRAIL-induced apoptosis through reactive oxygen species-mediated up-regulation of death receptor 5 and down-regulation of c-FLIP. [Free Radical Biology & Medicine \(2009\), 46\(12\), 1639-1649.](#)

Oh et al, Withaferin A inhibits tumor necrosis factor- α -induced expression of cell adhesion molecules by inactivation of Akt and NF- κ B in human pulmonary epithelial cells. [International Immunopharmacology \(2009\), 9\(5\), 614-619.](#)

Kalthur et al, Effect of Withaferin A on the development and decay of thermotolerance in B16F1 melanoma: preliminary study. [Integrative Cancer Therapies \(2009\), 8\(1\), 93-97.](#)

Park et al, Withaferin A induces apoptosis and inhibits adipogenesis in 3T3-L1 adipocytes. [BioFactors \(2008\), 33\(2\), 137-148.](#)

Panjamurthy et al, Withaferin-A protects biochemical changes in the buccal mucosa of golden Syrian hamsters during 7,12-dimethylbenz [a] anthracene (DMBA) - induced oral carcinogenesis. [Journal of Cell and Tissue Research \(2008\), 8\(3\), 1505-1510.](#)

Mandal et al, Withaferin A induces apoptosis by activating p38 mitogen-activated protein kinase signaling cascade in leukemic cells of lymphoid and myeloid origin through mitochondrial death cascade. [Apoptosis \(2008\), 13\(12\), 1450-1464.](#)

Oh et al, Induction of apoptosis by withaferin A in human leukemia U937 cells through down-regulation of Akt phosphorylation. [Apoptosis \(2008\), 13\(12\), 1494-1504.](#)

Oh et al, LPS-induced activity of NF- κ B in RAW 264.7 cells. [European Journal of Pharmacology \(2008\), 599\(1-3\), 11-17.](#)

Stan et al, Withaferin A Causes FOXO3a- and Bim-Dependent Apoptosis and Inhibits Growth of Human Breast Cancer Cells In vivo. [Cancer Research \(2008\), 68\(18\), 7661-7669.](#)

Panjamurthy et al, Protective role of withaferin-A on 7,12-dimethylbenz(a)anthracene-induced genotoxicity in bone marrow of Syrian golden hamsters. [Journal of Biochemical and Molecular Toxicology \(2008\), 22\(4\), 251-258.](#)

Mohan et al, Withanolides for drug screening and treatment of vimentin-associated disorders. [US 20080207574 A1](#).

Devi et al, Enhancement of radiation induced cell death in chicken B lymphocytes by withaferin A. [Indian Journal of Experimental Biology \(2008\), 46\(6\), 437-442](#).

Reshma et al, Effect of withaferin, a radiosensitizer, on the erythrocyte antioxidants in carcinoma of uterine cervix. [Biomedical Research \(Aligarh, India\) \(2007\), 18\(3\), 175-178](#).

Malik et al, myeloid leukemia HL-60 cells by a dietary compound withaferin A with concomitant protection by N-acetyl cysteine. [Apoptosis \(2007\), 12\(11\), 2115-2133](#).

Bargagna-Mohan et al, The Tumor Inhibitor and Antiangiogenic Agent Withaferin A Targets the Intermediate Filament Protein Vimentin. [Chemistry & Biology \(Cambridge, MA, United States\) \(2007\), 14\(6\), 623-634](#).

Kaileh et al, Withaferin A Strongly Elicits $\text{I}\beta\text{B}$ Kinase $\text{I}\beta\text{B}$ Hyperphosphorylation Concomitant with Potent Inhibition of Its Kinase Activity. [Journal of Biological Chemistry \(2007\), 282\(7\), 4253-4264](#).

Sen et al, Apoptosis is induced in leishmanial cells by a novel protein kinase inhibitor withaferin A and is facilitated by apoptotic topoisomerase I-DNA complex. [Cell Death and Differentiation \(2007\), 14\(2\), 358-367](#).

Srinivasan et al, Par-4-dependent apoptosis by the dietary compound. withaferin A in prostate cancer cells. [Cancer Research \(2006\), 67\(1\), 246-253](#).

Yokota et al, Development of withaferin A analogs as probes of angiogenesis. [Bioorganic & Medicinal Chemistry Letters \(2006\), 16\(10\), 2603-2607](#).

Falsey et al, Actin microfilament aggregation induced by withaferin A is mediated by annexin II. [Nature Chemical Biology \(2006\), 2\(1\), 33-38](#).

Mohan et al, Withaferin A is a potent inhibitor of angiogenesis. [Angiogenesis \(2004\), 7\(2\), 115-122](#).

Devi et al, Radiosensitizing effect of withaferin A combined with hyperthermia on mouse fibrosarcoma and melanoma. [Journal of Radiation Research \(2003\), 44\(1\), 1-6](#).

Devi et al, Radiosensitization of a mouse melanoma by withaferin A: in vivo studies. [Indian Journal of Experimental Biology \(2000\), 38\(5\), 432-437](#).

Kamath et al, Response of a mouse fibrosarcoma to withaferin A and radiation. [Pharmacy and Pharmacology Communications \(1999\), 5\(4\), 287-291](#).

Devi et al, Withaferin A: a new radiosensitizer from the Indian medicinal plant *Withania somnifera*. [International Journal of Radiation Biology \(1996\), 69\(2\), 193-7](#).

Devi et al, In vivo growth inhibitory and radiosensitizing effects of withaferin A on mouse Ehrlich ascites carcinoma. [Cancer Letters \(Shannon, Ireland\) \(1995\), 95\(1,2\), 189-93](#).

Hirayama et al, Synthetic studies of withanolides. Part 6. Stereoselective synthesis of withaferin A and 27-deoxywithaferin A. [Tetrahedron Letters \(1982\), 23\(45\), 4725-8](#).

Fuska et al, Microbial transformations of natural antitumor agents. 23. Conversion of withaferin A to 12 β - and 15 β -hydroxy derivatives of withaferin A. [Steroids \(1982\), 40\(2\), 157-69](#).

Pelletier et al, The facile addition of secondary amines to withaferin A. A further example of alumina-catalyzed addition of amines to α,β -unsaturated ketones. [Heterocycles \(1982\), 19\(2\), 235-9](#)